



## 1 Decay Scheme

Ho-166m disintegrates by beta minus emission mainly to the 1827 keV and to the 1786 keV levels of Er-166.

L'holmium166 métastable se désintègre par émission bêta moins, principalement vers les deux niveaux de 1827 keV et 1786 keV de l'erbium 166.

## 2 Nuclear Data

$$T_{1/2}(^{166}\text{Ho}^m) : 1200 \quad (180) \quad \text{a}$$

$$Q^-(^{166}\text{Ho}^m) : 1860,5 \quad (9) \quad \text{keV}$$

### 2.1 $\beta^-$ Transitions

	Energy keV	Probability $\times 100$	Nature	lg $ft$
$\beta_{0,17}^-$	32,9 (9)	17,2 (4)	Allowed	8,4
$\beta_{0,16}^-$	73,5 (9)	74,8 (12)	Allowed	8,8
$\beta_{0,11}^-$	304,6 (9)	0,394 (5)	1st forbidden	12,9
$\beta_{0,10}^-$	484,5 (9)	0,81 (26)	1st forbidden	13
$\beta_{0,9}^-$	644,5 (9)	2,31 (29)	1st forbidden	13,4
$\beta_{0,6}^-$	949,3 (9)	1,12 (6)	1st forbidden	14,2
$\beta_{0,3}^-$	1315,1 (9)	3,4 (6)	1st forbidden	14,3

## 2.2 Gamma Transitions and Internal Conversion Coefficients

	Energy keV	$P_{\gamma+ce}$ $\times 100$	Multipolarity	$\alpha_K$	$\alpha_L$	$\alpha_M$	$\alpha_T$
$\gamma_{5,4}$ (Er)	73,62 (7)	0,212 (14)	M1+E2	5,98 (18)	0,902 (27)	0,201 (6)	7,14 (21)
$\gamma_{1,0}$ (Er)	80,580 (3)	99,981 (4)	E2	1,65 (3)	4,01 (8)	0,978 (29)	6,90 (14)
$\gamma_{16,15}$ (Er)	94,675 (14)	0,650 (23)	M1+E2	2,89 (9)	0,435 (13)	0,0967 (29)	3,45 (10)
$\gamma_{8,7}$ (Er)	119,033 (9)	0,452 (11)	E2+M1	0,888 (27)	0,556 (17)	0,1339 (40)	1,614 (48)
$\gamma_{16,14}$ (Er)	121,176 (31)	0,593 (20)	E2	0,663 (20)	0,610 (18)	0,1480 (44)	1,460 (44)
$\gamma_{17,15}$ (Er)	135,260 (14)	0,194 (4)	E2	0,493 (15)	0,373 (11)	0,0904 (27)	0,981 (29)
$\gamma_{9,8}$ (Er)	140,703 (7)	0,0829 (44)	M1+E2	0,604 (18)	0,256 (8)	0,0611 (18)	0,938 (28)
$\gamma_{10,9}$ (Er)	160,039 (7)	0,157 (8)	M1+E2	0,417 (13)	0,1530 (46)	0,0363 (11)	0,616 (18)
$\gamma_{17,14}$ (Er)	161,76 (3)	0,166 (6)	E2 (+M1)	0,299 (9)	0,171 (5)	0,0412 (12)	0,522 (16)
$\gamma_{2,1}$ (Er)	184,4107 (11)	96,7 (7)	E2	0,205 (6)	0,0984 (30)	0,0236 (7)	0,334 (7)
$\gamma_{16,13}$ (Er)	190,86 (7)	0,279 (7)	E2	0,186 (6)	0,0853 (26)	0,0204 (6)	0,297 (9)
$\gamma_{16,12}$ (Er)	214,75 (6)	0,534 (13)	E2	0,1318 (40)	0,0526 (16)	0,01254 (38)	0,200 (4)
$\gamma_{8,5}$ (Er)	215,869 (8)	3,18 (20)	E2	0,1299 (26)	0,0516 (10)	0,01229 (37)	0,197 (4)
$\gamma_{17,13}$ (Er)	231,45 (7)	0,253 (7)	E2	0,1062 (21)	0,0391 (8)	0,00928 (28)	0,157 (3)
$\gamma_{9,7}$ (Er)	259,736 (9)	1,195 (11)	E2	0,0762 (15)	0,0249 (5)	0,00589 (18)	0,1087 (22)
$\gamma_{3,2}$ (Er)	280,4630 (34)	32,07 (28)	E2	0,0613 (12)	0,0187 (4)	0,00439 (13)	0,0855 (17)
$\gamma_{10,8}$ (Er)	300,742 (7)	3,99 (4)	E2	0,0503 (10)	0,0144 (3)	0,00338 (10)	0,0691 (14)
$\gamma_{9,6}$ (Er)	304,758 (9)	0,0195 (13)	E2	0,0485 (10)	0,0137 (3)	0,00322 (10)	0,0662 (13)
$\gamma_{11,9}$ (Er)	339,75 (5)	0,1694 (24)	E2	0,0359 (7)	0,00930 (19)	0,00217 (7)	0,048 (1)
$\gamma_{6,3}$ (Er)	365,768 (8)	2,56 (4)	E2	0,0294 (6)	0,00721 (15)	0,00167 (5)	0,0388 (8)
$\gamma_{16,10}$ (Er)	410,955 (9)	11,45 (18)	E1(+M2)	0,00743 (22)	0,001055 (32)	0,00233 (7)	0,00878 (26)
$\gamma_{17,10}$ (Er)	451,540 (9)	2,936 (14)	E1(+M2)	0,00599 (18)	0,000846 (25)	0,000187 (6)	0,00707 (21)
$\gamma_{10,6}$ (Er)	464,797 (9)	1,28 (4)	M1+E2	0,01579 (47)	0,0033 (1)	0,000758 (23)	0,0201 (6)
$\gamma_{15,9}$ (Er)	476,319 (13)	0,0365 (13)	E1	0,00531 (16)	0,000748 (22)	0,000165 (5)	0,00627 (19)
$\gamma_{12,8}$ (Er)	496,95 (6)	0,126 (3)	E1(+M2)	0,00483 (15)	0,000679 (20)	0,0001497 (45)	0,00571 (17)
$\gamma_{4,2}$ (Er)	520,80 (7)	0,155 (6)	E2	0,01192 (36)	0,00234 (7)	0,000535 (16)	0,0149 (3)
$\gamma_{8,3}$ (Er)	529,823 (6)	9,5 (4)	M1+E2	0,01145 (26)	0,00223 (5)	0,000508 (15)	0,0144 (3)
$\gamma_{16,9}$ (Er)	570,994 (9)	5,45 (20)	E1(+M2)	0,00358 (11)	0,000498 (15)	0,0001097 (33)	0,00421 (13)
$\gamma_{5,2}$ (Er)	594,417 (6)	0,59 (6)	E2+M1	0,00881 (26)	0,001613 (48)	0,000366 (11)	0,01089 (33)
$\gamma_{17,9}$ (Er)	611,579 (9)	1,31 (21)	E1(+M2)	0,00309 (9)	0,000429 (13)	0,0000944 (28)	0,00364 (11)
$\gamma_{12,7}$ (Er)	615,98 (6)	0,100 (31)	E4	0,0444 (13)	0,0185 (6)	0,00449 (13)	0,0687 (21)
$\gamma_{13,7}$ (Er)	639,86 (7)	0,0946 (7)	E1	0,00282 (8)	0,000389 (12)	0,0000857 (26)	0,00331 (10)
$\gamma_{11,6}$ (Er)	644,51 (5)	0,145 (4)	E2+M1	0,00810 (24)	0,001384 (42)	0,000312 (9)	0,00989 (30)
$\gamma_{9,3}$ (Er)	670,526 (6)	5,38 (21)	E2+M1	0,00666 (20)	0,001161 (35)	0,000262 (8)	0,00816 (24)
$\gamma_{7,2}$ (Er)	691,253 (8)	1,33 (7)	E2+M1	0,00620 (19)	0,001069 (32)	0,000241 (7)	0,00758 (23)
$\gamma_{4,1}$ (Er)	705,21 (7)	0,014 (7)	E2(+M1)	0,00591 (18)	0,001012 (30)	0,000228 (7)	0,00721 (22)
$\gamma_{16,8}$ (Er)	711,697 (9)	55,0 (9)	E1(+M2)	0,00227 (7)	0,000311 (9)	0,0000685 (21)	0,00266 (8)
$\gamma_{12,5}$ (Er)	712,89 (13)	0,30 (9)	E1				
$\gamma_{15,7}$ (Er)	736,055 (14)	0,14 (2)					
$\gamma_{13,5}$ (Er)	736,70 (7)	0,374 (6)	E1	0,00211 (6)	0,000290 (9)	0,0000637 (19)	0,00249 (7)
$\gamma_{17,8}$ (Er)	752,282 (9)	12,2 (3)	E1(+M2)	0,00203 (6)	0,000278 (8)	0,0000611 (18)	0,00238 (7)
$\gamma_{5,1}$ (Er)	778,828 (6)	3,03 (8)	E2+M1	0,00477 (14)	0,000788 (24)	0,000177 (5)	0,00579 (17)
$\gamma_{4,0}$ (Er)	785,78 (7)	0,019 (4)	E2	0,00467 (14)	0,000769 (23)	0,000173 (5)	0,00566 (17)
$\gamma_{8,2}$ (Er)	810,286 (5)	57,6 (11)	E2+M1	0,00438 (9)	0,00071 (2)	0,0001603 (48)	0,0053 (1)
$\gamma_{10,3}$ (Er)	830,565 (6)	9,77 (18)	E2+M1	0,00416 (12)	0,000673 (20)	0,0001509 (45)	0,00503 (15)
$\gamma_{7,1}$ (Er)	875,664 (8)	0,724 (9)	E2	0,00371 (11)	0,000592 (18)	0,0001324 (40)	0,00447 (13)
$\gamma_{9,2}$ (Er)	950,989 (5)	2,754 (19)	E2	0,00313 (9)	0,000488 (15)	0,0001089 (33)	0,00376 (11)
$\gamma_{11,3}$ (Er)	1010,27 (5)	0,0797 (16)	E2	0,00277 (8)	0,000425 (13)	0,0000947 (28)	0,00332 (10)
$\gamma_{14,3}$ (Er)	1120,344 (30)	0,199 (4)	E1	0,000956 (29)	0,0001283 (38)	0,0000281 (8)	0,001121 (34)
$\gamma_{15,3}$ (Er)	1146,845 (12)	0,2061 (26)	E1	0,000918 (28)	0,0001230 (37)	0,0000270 (8)	0,001075 (32)
$\gamma_{16,3}$ (Er)	1241,520 (8)	0,85 (3)	E1(+M2)	0,000796 (24)	0,0001063 (32)	0,0000233 (7)	0,000932 (28)
$\gamma_{17,3}$ (Er)	1282,105 (8)	0,183 (7)	E1(+M2)	0,000752 (23)	0,0001004 (30)	0,0000220 (7)	0,000881 (26)
$\gamma_{12,2}$ (Er)	1307,24 (6)	0,0055 (11)	E1	0,000727 (22)	0,0000970 (29)	0,0000213 (6)	0,000852 (26)
$\gamma_{13,2}$ (Er)	1331,12 (7)	0,0043 (12)	E1	0,000705 (21)	0,0000939 (28)	0,0000206 (6)	0,000825 (25)
$\gamma_{14,2}$ (Er)	1400,79 (2)	0,508 (6)	E1	0,000645 (19)	0,0000859 (26)	0,0000188 (6)	0,000755 (23)
$\gamma_{15,2}$ (Er)	1427,24 (2)	0,498 (6)	E1	0,000625 (19)	0,0000831 (25)	0,0000182 (5)	0,000732 (22)

### 3 Atomic Data

#### 3.1 Er

$\omega_K$	:	0,942	(4)
$\bar{\omega}_L$	:	0,216	(9)
$n_{KL}$	:	0,836	(4)

##### 3.1.1 X Radiations

		Energy keV		Relative probability	
X <sub>K</sub>	K $\alpha_2$	48,2211		56,4	
	K $\alpha_1$	49,1277		100	
	K $\beta_3$	55,494	}		
	K $\beta_1$	55,681	}		
	K $\beta_5''$	56,04	}	31,9	
	K $\beta_2$	57,21	}		
	K $\beta_4$	57,313	}	8,8	
	KO <sub>2,3</sub>	57,45	}		
	X <sub>L</sub>	L $\ell$	6,14		
		L $\alpha$	6,9 – 6,95		
L $\eta$		7,05			
L $\beta$		7,75 – 8,34			
L $\gamma$		8,81 – 9,43			

##### 3.1.2 Auger Electrons

	Energy keV	Relative probability
Auger K		
KLL	37,78 – 40,55	100
KLX	45,52 – 49,10	52,2
KXY	53,07 – 56,84	7,84
Auger L	3,9 – 7,6	

## 4 Electron Emissions

		Energy keV		Electrons per 100 disint.
e <sub>AL</sub>	(Er)	3,9	- 7,6	72,0 (7)
e <sub>AK</sub>	(Er)			2,33 (17)
	KLL	37,78	- 40,55	}
	KLX	45,52	- 49,10	}
	KXY	53,07	- 56,84	}
ec <sub>5,4</sub> K	(Er)	16,13	(7)	0,15 (10)
ec <sub>1,0</sub> T	(Er)	23,095	- 80,550	87,4 (31)
ec <sub>1,0</sub> K	(Er)	23,095	(3)	20,9 (7)
ec <sub>16,15</sub> K	(Er)	37,189	(14)	0,422 (18)
ec <sub>8,7</sub> K	(Er)	61,548	(9)	0,154 (5)
ec <sub>16,14</sub> K	(Er)	63,69	(3)	0,160 (7)
ec <sub>1,0</sub> L	(Er)	70,828	- 72,222	50,8 (18)
ec <sub>1,0</sub> M	(Er)	78,374	- 79,171	12,38 (43)
ec <sub>1,0</sub> N	(Er)	80,131	- 80,576	2,89 (10)
ec <sub>16,15</sub> L	(Er)	84,924	- 86,317	0,0635 (26)
ec <sub>10,9</sub> K	(Er)	102,554	(7)	0,0524 (31)
ec <sub>8,7</sub> L	(Er)	109,282	- 110,675	0,0962 (34)
ec <sub>16,14</sub> L	(Er)	111,424	- 112,818	0,147 (6)
ec <sub>2,1</sub> T	(Er)	126,925	- 184,381	24,1 (7)
ec <sub>2,1</sub> K	(Er)	126,925	(1)	14,86 (44)
ec <sub>16,12</sub> K	(Er)	157,26	(6)	0,0587 (23)
ec <sub>8,5</sub> K	(Er)	158,384	(8)	0,346 (24)
ec <sub>2,1</sub> L	(Er)	174,659	- 176,053	7,13 (22)
ec <sub>2,1</sub> M	(Er)	182,204	- 183,001	1,71 (5)
ec <sub>2,1</sub> N	(Er)	183,962	- 184,406	0,402 (12)
ec <sub>9,7</sub> K	(Er)	202,251	(9)	0,0821 (26)
ec <sub>8,5</sub> L	(Er)	206,118	- 207,511	0,137 (10)
ec <sub>3,2</sub> T	(Er)	222,978	- 280,433	2,5 (16)
ec <sub>3,2</sub> K	(Er)	222,978	(4)	1,8 (12)
ec <sub>10,8</sub> K	(Er)	243,257	(7)	0,188 (6)
ec <sub>3,2</sub> L	(Er)	270,711	- 272,105	0,55 (36)
ec <sub>3,2</sub> M	(Er)	278,256	- 279,053	0,13 (8)
ec <sub>10,8</sub> L	(Er)	290,991	- 292,384	0,0537 (17)
ec <sub>6,3</sub> K	(Er)	308,282	(8)	0,0723 (25)
ec <sub>16,10</sub> K	(Er)	353,469	(9)	0,0843 (28)
ec <sub>8,3</sub> K	(Er)	472,338	(6)	0,108 (6)
ec <sub>16,8</sub> K	(Er)	654,211	(9)	0,1246 (47)
ec <sub>8,2</sub> K	(Er)	752,80	(5)	0,251 (9)
$\beta_{0,17}^-$	max:	32,9	(9)	17,2 (4)
$\beta_{0,17}^-$	avg:	8,2	(2)	
$\beta_{0,16}^-$	max:	73,5	(9)	74,8 (12)
$\beta_{0,16}^-$	avg:	18,6	(4)	

		Energy keV		Electrons per 100 disint.
$\beta_{0,11}^-$	max:	304,6	(9)	0,394 (5)
$\beta_{0,11}^-$	avg:			
$\beta_{0,10}^-$	max:	484,5	(9)	0,81 (26)
$\beta_{0,10}^-$	avg:			
$\beta_{0,9}^-$	max:	644,5	(9)	2,31 (29)
$\beta_{0,9}^-$	avg:	201,2	(9)	
$\beta_{0,6}^-$	max:	949,3	(9)	1,12 (6)
$\beta_{0,6}^-$	avg:	294,3	(9)	
$\beta_{0,3}^-$	max:	1315,1	(9)	3,4 (6)
$\beta_{0,3}^-$	avg:	674,6	(9)	

## 5 Photon Emissions

### 5.1 X-Ray Emissions

		Energy keV		Photons per 100 disint.	
XL	(Er)	6,14 — 9,43		20,8 (4)	
XK $\alpha_2$	(Er)	48,2211		10,81 (21)	} K $\alpha$
XK $\alpha_1$	(Er)	49,1277		19,2 (4)	}
XK $\beta_3$	(Er)	55,494	}		
XK $\beta_1$	(Er)	55,681	}	6,24 (14)	K' $\beta_1$
XK $\beta_5''$	(Er)	56,04	}		
XK $\beta_2$	(Er)	57,21	}		
XK $\beta_4$	(Er)	57,313	}	1,62 (5)	K' $\beta_2$
XKO $_{2,3}$	(Er)	57,45	}		

### 5.2 Gamma Emissions

	Energy keV	Photons per 100 disint.
$\gamma_{5,4}(\text{Er})$	73,62 (7)	0,0260 (16)
$\gamma_{1,0}(\text{Er})$	80,5725 (13)	12,66 (23)
$\gamma_{16,15}(\text{Er})$	94,675 (14)	0,146 (4)
$\gamma_{8,7}(\text{Er})$	119,033 (10)	0,173 (3)
$\gamma_{16,14}(\text{Er})$	121,175 (10)	0,241 (7)
$\gamma_{17,15}(\text{Er})$	135,260 (14)	0,0979 (19)
$\gamma_{9,8}(\text{Er})$	140,703 (7)	0,0428 (22)

	Energy keV	Photons per 100 disint.
$\gamma_{10,9}$ (Er)	160,039 (7)	0,097 (5)
$\gamma_{17,14}$ (Er)	161,76 (3)	0,109 (4)
$\gamma_{2,1}$ (Er)	184,4107 (11)	72,5 (3)
$\gamma_{16,13}$ (Er)	190,86 (7)	0,215 (5)
$\gamma_{16,12}$ (Er)	214,79 (3)	0,445 (11)
$\gamma_{8,5}$ (Er)	215,871 (7)	2,66 (17)
$\gamma_{17,13}$ (Er)	231,45 (7)	0,219 (6)
$\gamma_{9,7}$ (Er)	259,736 (10)	1,078 (10)
$\gamma_{3,2}$ (Er)	280,4630 (23)	29,54 (25)
$\gamma_{10,8}$ (Er)	300,741 (3)	3,73 (3)
$\gamma_{9,6}$ (Er)	304,758 (9)	0,0183 (12)
$\gamma_{11,9}$ (Er)	339,75 (5)	0,1616 (23)
$\gamma_{6,3}$ (Er)	365,768 (6)	2,46 (4)
$\gamma_{16,10}$ (Er)	410,956 (3)	11,35 (17)
$\gamma_{17,10}$ (Er)	451,540 (4)	2,915 (14)
$\gamma_{10,6}$ (Er)	464,798 (6)	1,25 (4)
$\gamma_{15,9}$ (Er)	476,25 (4)	0,0363 (13)
$\gamma_{12,8}$ (Er)	496,90 (6)	0,125 (3)
$\gamma_{4,2}$ (Er)	520,80 (7)	0,153 (6)
$\gamma_{8,3}$ (Er)	529,825 (4)	9,4 (4)
$\gamma_{16,9}$ (Er)	570,995 (5)	5,43 (20)
$\gamma_{5,2}$ (Er)	594,417 (6)	0,58 (6)
$\gamma_{17,9}$ (Er)	611,579 (6)	1,31 (21)
$\gamma_{12,7}$ (Er)	615,93 (6)	0,094 (29)
$\gamma_{13,7}$ (Er)	639,86 (6)	0,0943 (7)
$\gamma_{11,6}$ (Er)	644,51 (7)	0,144 (4)
$\gamma_{9,3}$ (Er)	670,526 (4)	5,34 (21)
$\gamma_{7,2}$ (Er)	691,253 (7)	1,32 (7)
$\gamma_{4,1}$ (Er)	705,21 (7)	0,014 (7)
$\gamma_{16,8}$ (Er)	711,697 (3)	54,9 (9)
$\gamma_{12,5}$ (Er)	712,89 (13)	0,30 (9)
$\gamma_{15,7}$ (Er)	736,02 (8)	0,14 (2)
$\gamma_{13,5}$ (Er)	736,70 (7)	0,373 (6)
$\gamma_{17,8}$ (Er)	752,280 (4)	12,2 (3)
$\gamma_{5,1}$ (Er)	778,827 (6)	3,01 (8)
$\gamma_{4,0}$ (Er)	785,78 (7)	0,019 (4)
$\gamma_{8,2}$ (Er)	810,286 (4)	57,3 (11)
$\gamma_{10,3}$ (Er)	830,565 (4)	9,72 (18)
$\gamma_{7,1}$ (Er)	875,663 (7)	0,721 (9)
$\gamma_{9,2}$ (Er)	950,988 (4)	2,744 (19)
$\gamma_{11,3}$ (Er)	1010,27 (6)	0,0794 (16)
$\gamma_{14,3}$ (Er)	1120,32 (3)	0,199 (4)
$\gamma_{15,3}$ (Er)	1146,77 (3)	0,2059 (26)
$\gamma_{16,3}$ (Er)	1241,519 (4)	0,85 (3)
$\gamma_{17,3}$ (Er)	1282,102 (5)	0,183 (7)
$\gamma_{12,2}$ (Er)	1307,19 (6)	0,0055 (11)
$\gamma_{13,2}$ (Er)	1331,12 (7)	0,0043 (12)

	Energy keV	Photons per 100 disint.
$\gamma_{14,2}(\text{Er})$	1400,79 (2)	0,508 (6)
$\gamma_{15,2}(\text{Er})$	1427,24 (2)	0,498 (6)

## 6 Main Production Modes


$$\left\{ \begin{array}{l} \text{Ho} - 165(n,\gamma)\text{Ho} - 166\text{m} \quad \sigma : 1 \text{ barns} \\ \text{Possible impurities : Ho} - 166 \end{array} \right.$$

## 7 References


- I.MARKLUND, B.V.VANNOOLJEN, Z.GRABOWSKI. Nucl. Phys. 15 (1960) 533  
(Conv. Elec. emission probabilities)
- R.HARDELL, S.NILSSON. Nucl. Phys. 39 (1962) 286  
(Gamma ray energies)
- E.GERDAU, W.KRULL, L.MAYER, J.BRAUNSFURTH, J.HEISENBERG, P.STEINER, E.BODENSTEDT. Z. Phys. 174 (1963) 389  
(anagular correlation)
- C.W.REICH, J.E.CLIN. Phys. Rev. 137 (1965) B1424  
(Gamma-ray emission probabilities, Delta)
- K.T.FALER, J.INORG.. Nucl. Chem. 27 (1965) 25  
(Half-life)
- S.B.BURSON, P.F.A.GOUDSMIT, J.KONIJN. Phys. Rev. 158 (1967) 1161  
(levels)
- C.GUNTHER, D.W.PARSIGNAULT. Phys. Rev. 153 (1967) 1297  
(Gamma rays)
- J.A.BEARDEN. Rev. Mod. Phys. (1967) 78  
(x-ray energie)
- E.C.NELSON, E.N.HATCH. Nucl. Phys. A127 (1969) 560  
(Conv. Elec. emission probabilities)
- C.W.REICH, J.E.CLIN. Nucl. Phys. A159 (1970) 181  
(Normalization factor)
- J.L.CAMPBELL, H.J.SMITH, I.K.MACKENZIE. Nucl. Instrum. Methods 92 (1971) 237  
(Conv. Elec. emission probabilities)
- T.MIYOKAWA, I.KATAYAMA, S.MORINOBU, H.IKEGAMI. Int. Conf. Nucl. Moments and Nucl. Structure, Osaka, Japan 34 (1972) 247  
(Delta)
- J.M.DOMINGOS, G.D.SYMONS, A.C.DOUGLAS. Nucl. Phys. A180 (1972) 600  
(Normalization factor, Delta)
- N.LAVI. Nucl. Instrum. Methods 109 (1973) 265  
(Gamma rays)
- E.W.A.LINGEMAN, F.W.N.DEBOER, B.J.MEIJER. Nucl. Instrum. Methods 118 (1974) 609  
(Gamma rays)
- K.R.BAKER, J.H.HAMILTON, J.LANGE, A.V.RAMAYYA, L.VARNELL, V.MARUN-REZWANI, T. MORI, H.IONUE, Y.YOSUZAWA. J. Phys. Soc. Jap. 38 (1975) 611,14  
(Gamma ray energies)
- J.J.PINAJIN, J.A.MARUHN. Phys. Lett. 57B (1975) 441  
(mixing ratios)
- K.R.BAKER, J.H.HAMILTON, J.LANGE, A.V.RAMAYYA, L.VARNELL, V.MARUHN-REZWANI, J.J.PINAJIAN, J.A.MARAHN. Phys. Lett. 57B (1975) 441  
(Delta)


- TSUNEO MORII, HIKARUINOUE, YASUKAZUYOSHIZAWA. J. Phys. Soc. Japan 38 (1975) 611  
(Gamma ray energies)
- J.H.HAMILTON. Bull. Akad. Sci. USSR, Phys. Ser. 40 (1976) 14  
(mixing ratios)
- J.H. HAMILTON. Bull. Acad. Sci. URSS 40 (1976) 14  
(Mixing ratio)
- R.L.WEST, E.G.FUNK, A.VISVANATHAN, J.P.ADAMS, J.W.MIHELICH. Nucl. Phys. A270 (1976) 300  
(mixing ratios, Delta)
- R.J.GEHRKE, R.G.HELMER, R.C.GREENWOOD. Nucl. Instrum. Methods 147 (1977) 405  
(Gamma rays)
- F.,H.M.FRIES, K.ALDER, H.C.PAULI. At. Data. Nucl. Data Tables 21 (1978) 92  
(Conv. Elec. emission probabilities)
- F.K.MCGOWAN, W.T.MILNER, R.L.ROBINSON, P.H.STELSON, Z.W.GRABOWSKI. Nucl. Phys. (1978) 51  
(Delta)
- T.E.SAMPSON. Nucl. Instrum. Methods 150 (1978)  
(Gamma rays)
- F.K.MCGOWAN, W.T.MILNER, R.L.ROBINSON, P.H.STELSON, Z.W.GRABOWSKI. Nucl. Phys. A297 (1978) 51  
(Gamma rays, Delta)
- J.ADAM, J.FRANA, E.P.GRIGORIEV, K.YA.GROMOV, M.HONUŠEK, T.A.ISLAMOV, V.O.SERGEEV. Czech. J. Phys. B29 (1979) 997  
(Gamma ray energies)
- J.LANGE, K.R.BAKER, J.H.HAMILTON, A.V.RAMAYYA, L.VARNELL, J.J.PINAJIAN, V.MARUHN-REZWANI. Z. Phys. A303 (1981) 321  
(mixing ratios, Delta)
- K.S.KRANE, J.D.MOSES. Phys. Rev. C24 (1981) 654  
(mixing ratios, Delta)
- J.LANGE, K.R.BAKER, J.H.HAMILTON, A.V.RAMAYYA, L.VARNELL, J.J.PINAJIAN, V.MARUHN REZWANI. Z. Phys. A303 (1981) 321  
(mixing ratios, delta)
- A.RYTZ. NBS-SP-626 (1982) 140  
(Gamma-ray emission probabilities)
- S.S.SOOCH, RAVINDER KAUR, NIRMAL SINGH, P.N.TREHAN. Nucl. Instrum. Methods 203 (1982) 339  
(Gamma ray energies, Gamma-ray emission probabilities)
- N.BLAGOJEVIC, N.R.WOOD. Int. J. Appl. Radiat. Isotop. 33 (1982) 153  
(Gamma rays)
- A.ALZNER, E.BODENSTEDT, B.GEMÜNDEN, J.VAN DEN HOFF, H.REIF. Z. Phys. A322 (1985) 467  
(mixing ratios, Delta)
- T.OGANDAGA, J.DALMASSO, G.ARDISSON. J. Radioanal. Nucl. Chem. 107 (1986) 59  
(Gamma ray energies)
- P.O.LIPAS, P.TOIVONEN, E.HAMMAREN. Nucl. Phys. A469 (1987) 348  
(mixing ratios)
- J.ADAM, W.WAGNER, W.ZWOLSKA, J.ZWOLSKI, B.KRACIK, M.FISCHER. Izvestiya Akademii Nauk SSSR, Seriya Fizicheskaya 52 (1988) 18  
(Gamma ray energies, Gamma-ray emission probabilities)
- B.CHAND, J.GOSWAMY, D.MEHTA, S.SINGH, M.L.GARG, N.SINGH, P.N.TREHAN. Nucl. Instrum. Methods A273 (1988) 310  
(K X-ray emission probabilities, Gamma-ray emission probabilities, K X-ray energies)
- J.ADAM, M.FISER, B.KRACIK, V.WAGNER, V.ZVOLSKA, J.ZVOLSKY. UJF02/88 (1988)  
(Gamma rays)
- V.N.DANILENKO, N.P.GROMOVA, A.A.KONSTANTINOV, N.V.KURENKOV, A.B.MALININ, A.V.MAMELIN, S.V.MATVEEV, T.E.SAZONOVA, E.K.STEPANOV, S.V.SEPMAN, YU.G.TOPOROV, I.N.TRONOVA. Appl. Rad. Isotopes 40 (1989) 789  
( )
- V.VAGNER. 41th Int. Conf. Nucl. Structure, Minsk (1991) 97  
(Gamma-ray emission probabilities)
- C.ARDISSON, V.BARCI, J.DALMASSO, A.HACHEM, G.ARDISSON. Il Nuovo Cimento 105 (1992) 215  
(Gamma ray energies, Gamma-ray emission probabilities)
- C.WESSELBORG, D.E.ALBURGER. Verh. Der Deutschen Phys. Gesellschaft 27 (1992) 136  
(Gamma ray energies)
- W.WAGNER. Bull. Russ. Acad. Sci. 56 (1992) 675  
(Gamma-ray emission probabilities, mixing ratios, Delta)

- WANG XIN LIN, YANG JING XIA. Nucl. Instrum. Methods A312 (1992) 385  
(Gamma-ray emission probabilities)
- E.N.SHURSIKOW, N.V.TIMOFEEVA. Nucl. Data Sheets 67 (1992) 45-152  
(Half-life, excited levels, Gamma ray energies, Gamma-ray emission probabilities)
- HIROSHI MIYAHARA, HIROKI MATUMOTO, CHIZUO MORI, NORIOTAKEUCHI, TSUGUO GENKA. Nucl. Instrum. Methods A339 (1994) 203  
(Gamma-ray emission probabilities)
- J.MOREL, M.ETCHEVERRY, J.PLAGNARD. Appl. Radiat. Isot. 47 (1996) 529  
(Gamma-ray emission probabilities)
- R.B.FIRESTONE, V.S.SHIRLEY. Table of Isotopes, Wiley, New York (1996)  
(Production modes)
- E.SCHÖNFELD, H.JANSSEN. Nucl. Instrum. Methods A369 (1996) 572  
(K X-ray emission probabilities)
- Y.HINO, S.MATUI, T.YAMADA, N.TAKEUCHI, K.ONOMA, S.IWAMOTO, H.KOGURE. Appl. Rad. Isotopes 52 (2000) 545  
(Gamma-ray emission probabilities)
- R.G.HELMER, C.VAN DER LEUN. Nucl. Instrum. Meth. A450 (2000) 35  
(Gamma ray energies)



$\gamma$  Emission intensities per 100 disintegrations





$\gamma$  Emission intensities per 100 disintegrations

